



Brewline®

THE CRAFT BREWER'S PORTFOLIO

TECHNICAL DATA SHEET

Craft Acid -L

FORMULATION


Natural Lactic L (+) Acid (E270).

APPLICATION AREA

Acidification of brewing water or of must.
Usage authorised by CER N°606/2009.

RECOMENDED DOSAGES

Dosage: Add the quantity necessary to obtain the desired final pH. For example, see below to calculate the dosage according to initial and desired pH.



INSTRUCTIONS FOR USAGE

Add directly in the brewing water or in the must.

SPECIFICATIONS

Colour & Appearance	Opalescent liquid
Odour	Acid
Purity	88-89%
Density (20°C)	1.20-1.22 g/mL
Heavy metals	< 5 ppm
Lead	< 0,5 ppm
Mercury	< 1 ppm

Arsenic	< 1 ppm
Cyanide	< 1 ppm
Iron	< 10 ppm
Cadmium	< 1 ppm
Chlorides	< 0,1%
Sulfates	< 0,1%

STORAGE

Store in its original packaging hermetically sealed, in a cool (0-22 °C), dry and odorless place.
Respect the optimal use-by-date appearing on the conditioning.

CONDITIONNING

6 kg canister.

CC/22-08-2019

For use in beer brewing. For the production of products destined for direct human consumption. This document is provided for information purposes only, without commitment or guarantee, according to our current knowledge. Product in compliance with the purity specifications recommended by the Joint FAO/WHO Expert Committee on Food Additives (JECFA) and by the FCC for enzymes used in foodstuff processing. The product's conditions of use are subject to adherence to current legislation and local standards.

Brewline®

ERBSLÖH Geisenheim GmbH - Erbslöhstraße 1 - 65366 Geisenheim - Germany - www.brewline.eu