



Brewline®

THE CRAFT BREWER'S PORTFOLIO

TECHNICAL DATASHEET

Craft I-glass

FORMULATION

Acidified powdered isinglass.

APPLICATION AREA

Clarification and organoleptic adjustment of beer.

RECOMENDED DOSAGES

Dosage :1 à 3 g/hL depending on clarification and adjustment objectives.

When used in association with silica gel (added 24h afterwards) helps the sedimentation and compaction of the suspended particles.

INSTRUCTIONS FOR USE

Mix the quantity of fining agent to be used in about 100 times its weight in sterile cold water to obtain a homogenous gel.

Wait 1 to 2 hours, mix again, then add to the tank and mix.

After 1 to 3 weeks of treatment, rack the tank.

SPECIFICATIONS

Colour & Appearance	Light yellow powder
Humidity	≤12%
Ashes	<2
Citric acid	23%
Proteins	>64

Total nitrogen	>10%
Iron	< 70 ppm
Arsenic	< 2,5 ppm
Mercury	< 1 ppm
Lead	< 4 ppm

STORAGE

Store in its original packaging hermetically sealed, in a cool (<10°C), dry and odorless place.

Respect the optimal use-by-date appearing on the conditioning. Use quickly after opening.

CONDITIONING

100 g package.

LC/04-10-2017

For use in beer brewing. For the production of products destined for direct human consumption. This document is provided for information purposes only, without commitment or guarantee, according to our current knowledge. Product in compliance with the purity specifications recommended by the Joint FAO/WHO Expert Committee on Food Additives (JECFA) and by the FCC for enzymes used in foodstuff processing. The product's conditions of use are subject to adherence to current legislation and local standards.

Brewline®

ERBSLÖH Geisenheim GmbH - Erbslöhstraße 1 - 65366 Geisenheim - Germany - www.brewline.eu